FRONTEQ



Götene Cable Bucket 160-1010 litres

Cable bucket from Götene. Narrow design, developed especially for cable trenching and digging cable trenches. Very good ability to get under cables and pipes.

Götene's cable buckets are known for their high quality and precision. The cable buckets have a narrow profile which makes them perfect for digging narrow and deep trenches without damaging surrounding cables and pipes.

Many of Götene's cable buckets are reinforced with durable material such as Hardox, which increases their lifespan and makes them resistant to tough working conditions.

For excavators between 6 and 30 tonnes.

Characteristics

Bucket for easy digging with long bottom, cutting edges set forward, and adjusted angles to optimise handling.

Cable buckets, trenching buckets or narrow buckets as some choose to call them, are narrow digging buckets with deeply recessed and cut out sides to aid release of material. It makes mud and wet soil release better. The design also means that the ability to get under cables and pipes is high.



Product benefits

- Compact design for efficient digging.
- Cut out sides for best material release.
- Optional S-coupler included.
- Side wear plates and side cutters in Hardox 500 TUF.
- Wear strips are standard.

Options

- S-type quick coupler is standard. Can also be ordered with B20-B27 couplers.
- Can be ordered with teeth instead of the extended cutting edge.
- All cable buckets can also be ordered in a conical design.

Teknisk data

Item no.	Product name	Volume SAE	Weight, approx. (kg)	Width (mm)	Edge system	Recommended machine weight (tonnes)
18210S	Cable bucket	160	170	400	Extended cutting edge	6-8
18211S	Cable bucket	165	190	450	Extended cutting edge	6-8
18213S	Cable bucket	230	240	450	Extended cutting edge	8-12
18215S60S	Cable bucket S60	350	350	500	Extended cutting edge	12-18
18215S70S	Cable bucket S70	350	380	500	Extended cutting edge	16-22
18220S	Cable bucket	530	565	600	Extended cutting edge	16-22
18225S	Cable bucket	620	630	670	Extended cutting edge	16-22
18230S	Cable bucket	915	860	700	Extended cutting edge	20-28
18235S	Cable bucket	1010	910	800	Extended cutting edge	22-30

Denna PDF är genererad från https://fronteq.se/en. Vi reserverar oss för felskrivningar och faktafel i texter och tabeller. Vi förbehåller oss även rätten att justera modellutbud och specifikationer utan föregående information. Bilder kan visa produkter i alternativt eller extrautrustat utförande. För mer information och aktuella priser, kontakta info@fronteq.se.