FRONTEQ



Götene Deep Bucket GP 420-1450 litres

Our GP digging buckets from Götene are developed for efficient digging work. The buckets designated GP are intended for general digging, but are not meant for, for example, stockpile loading of rock.

The deep digging buckets have optimal angles for the best digging and emptying. They come as standard with teeth but can also be supplied with a blade tooth or a forward-mounted cutting edge. All GP buckets have wear strips as standard.

Accommodating excavators between 8 and 28 tonnes.

Characteristics

- Optimal angles for digging and emptying.
- Teeth are standard, but the bucket can optionally be fitted with a tooth or a wear edge.
- Optional S-coupler included.
- Wear strips are standard.

Teknisk data

Item no.	Product name	Volume SAE	Weight, approx. (kg)	Width (mm)	Teeth/qty	Recommended machine weight (tonnes)
10215	Deep bucket	420	290	800	J-250 4 pcs	8 - 10
10215S	Deep bucket	420	270	800	Extended cutting edge	8 - 10
10220	Deep bucket	450	310	850	J-250 5 pcs	9 - 11
10220S	Deep bucket	450	290	850	Extended cutting edge	9 - 11
10219	Deep bucket	480	330	900	J-250 5 pcs	10 - 12
10219S	Deep bucket	480	310	900	Extended cutting edge	10 - 12
10221	Deep bucket	480	400	700	J-300 4 pcs	9 - 12
10221S	Deep bucket	480	380	700	Extended cutting edge	9 - 12
10223	Deep bucket	520	430	750	J-300 4 pcs	10 - 12
10223S	Deep bucket	520	410	750	Extended cutting edge	10 - 12
10225	Deep bucket	570	440	800	J-300 4 pcs	10 - 12
10225S	Deep bucket	570	420	800	Extended cutting edge	10 - 12
10230	Deep bucket	600	460	850	J-300 4 pcs	12 - 14
10230S	Deep bucket	600	440	850	Extended cutting edge	12 - 14
10235	Deep bucket	625	480	850	J-350 4 pcs	12 - 14
10235S	Deep bucket	625	455	850	Extended cutting edge	12 - 14
10240	Deep bucket	670	525	900	J-350 4 pcs	12 - 14
10240S	Deep bucket	670	480	900	Extended cutting edge	12 - 14
10245	Deep bucket	710	550	950	J-350 4 pcs	14 - 16
10245S	Deep bucket	710	500	950	Extended cutting edge	14 - 16
10247	Deep bucket	760	570	1000	J-350 4 pcs	14 - 16
10247S	Deep bucket	760	520	1000	Extended cutting edge	14 - 16
10250	Deep bucket	840	660	950	J-350 4 pcs	16 - 18
10250S	Deep bucket	840	600	950	Extended cutting edge	16 - 18
10253	Deep bucket	890	680	1000	J-350 4 pcs	16 - 18
10253S	Deep bucket	890	620	1000	Extended cutting edge	16 - 18
10255	Deep bucket	940	720	1050	J-350 4 pcs	18 - 20
10260	Deep bucket	1000	770	1100	J-350 4 pcs	18 - 20

Itemno.	Product name	Volume SAE	Weight, approx. (kg)	Width (mm)	Teeth/qty	Recommended machine weight (tonnes)
10265	Deep bucket	1000	790	950	J-350 4 pcs	20 - 22
10267	Deep bucket	1050	810	1000	J-350 4 pcs	20 - 22
10268	Deep bucket	1100	840	1050	J-350 4 pcs	20 - 22
10263	Deep bucket	1100	770	1200	J-350 4 pcs	20 - 22
10270	Deep bucket	1150	870	1100	J-450 4 pcs	22 - 25
10275	Deep bucket	1290	1080	1150	J-450 4 pcs	22 - 25
10280	Deep bucket	1350	1100	1200	J-450 4 pcs	22 - 25
10285	Deep bucket	1450	1170	1300	J-450 4 pcs	25 - 28

Denna PDF är genererad från https://fronteq.se/en. Vi reserverar oss för felskrivningar och faktafel i texter och tabeller. Vi förbehåller oss även rätten att justera modellutbud och specifikationer utan föregående information. Bilder kan visa produkter i alternativt eller extrautrustat utförande. För mer information och aktuella priser, kontakta info@fronteq.se.