FRONTEQ



Götene Excavator Forklift Frame

Excavator forklift frame, pallet forks from Götene, mechanical adjustable. Very robust and easy to set the correct width. For excavators between 5 and 25 tonnes.

Forged quality forks with easy adjustment of the width between the forks. Equipped with a solid axle with sleeved bearings, the forks glide smoothly on a plastic bushing.

Available in custom designs for tiltrotators and grapple modules.

Suitable for excavators between 5 and 25 tonnes.

Characteristics

- Robust construction, free of play. Highest quality.
- Great visibility through the fork frame.
- Solid axle with bearing bushings. Forks slide easily with a durable plastic bushing.
- Forged quality forks.
- Easily adjustable mechanical forks.
- S-coupler is standard, other couplers are available as optional extras.
- It is possible to have them inverted, i.e. the forks pointing towards the machine in the starting position.
- Available in a range of lengths and widths.



Options

- 1450 mm long forks instead of the standard 1200 mm.
- Other attachments are offered.

Note: All pallet forks with an article number starting with 402 are with inverted attachment, designed to use with a tiltrotator and grapple module/grapple cassette, i.e. the forks are facing the machine in the initial position.

Teknisk data

Item no.	Product name	Attachment	Weight, approx. (kg)	Width (mm)	Fork	Length (mm)	Recommended machine weight (tonnes)
40101S45	Forklift frame 2,5	S 45	275	1000	100x40	1200	5-12
40101S50	Forklift frame 2,5	S 50	275	1000	100x40	1200	5-13
40102S45	Forklift frame 2,5	S 45	315	1200	100x40	1200	5-12
40102S50	Forklift frame 2,5	S 50	315	1200	100x40	1200	5-13
40103S45	Forklift frame 2,5	S 45	365	1500	100x40	1200	5-12
40103S50	Forklift frame 2,5	S 50	365	1500	100x40	1200	5-13
40111S60	Forklift frame 4,0	S 60	390	1000	125x45	1200	12-18
40211B20*	Forklift frame 4,0	B-20	440	1000	125x45	1200	13-22
40112S60	Forklift frame 4,0	S 60	440	1200	125x45	1200	12-18
40112S70	Forklift frame 4,0	S 70	480	1200	125x45	1200	17-25
40212B20*	Forklift frame 4,0	B-20	470	1200	125x45	1200	13-22
40113S60	Forklift frame 4,0	S 60	450	1500	125x45	1200	12-18
40113S70	Forklift frame 4,0	S 70	490	1500	125x45	1200	17-25
40213B20*	Forklift frame 4,0	B-20	480	1500	125x45	1200	13-22
40114S60	Forklift frame 5,0	S 60	460	1200	125x50	1200	12-18
40114S70	Forklift frame 5,0	S 70	500	1200	125x50	1200	17-25
40214B20*	Forklift frame 5,0	B-20	490	1200	125x50	1200	13-22
40115S60	Forklift frame 5,0	S 60	480	1500	125x50	1200	12-18
40115S70	Forklift frame 5,0	S 70	520	1500	125x50	1200	17-25
40215B20*	Forklift frame 5,0	B-20	500	1500	125x50	1200	13-22

Denna PDF är genererad från https://fronteq.se/en. Vi reserverar oss för felskrivningar och faktafel i texter och tabeller. Vi förbehåller oss även rätten att justera modellutbud och specifikationer utan föregående information. Bilder kan visa produkter i alternativt eller extrautrustat utförande. För mer information och aktuella priser, kontakta info@fronteq.se.