
FRONTEQ



Ufo Loader Bucket ED 5000-5700L

Ufo ED (Extreme Duty) loader bucket, 5000-5700 litres, for heavier tasks and unloading without spillage.

The ED loader buckets are strong and stably built. They are designed for heavier tasks, large loads, efficient loading and unloading without spillage. Very good filling rate.

The buckets are reinforced at the back and base. The bucket base is fitted with wear strips. The loader buckets are equipped as standard for quick coupling.

Can also be ordered for direct mounting or wedge mounting.

For wheel loaders between 8 and 60 tonnes.

Characteristics



- Strong and solidly built, engineered for heavier tasks and efficient loading.
- Very good filling rate.
- The buckets are reinforced at the back and bottom.
- Can be equipped with various blades and teeth.
- The bottom of the bucket is fitted with wear strips.
- At this size, it is often tailored to the customer's wishes.

Teeth*: Combi Wear Parts tooth systems are fitted as standard. Other tooth systems are offered.

Teknisk data

Item no.	Product name	Volume SAE	Weight, approx. (kg)	Width (mm)	Cutting edge	Recommended machine weight (tonnes)
207010	LS Loader Bucket, cutting edges	5000	3200	3200	300x50	
207110	LS Loader Bucket, cutting edges	5000	3250	3400	300x50	
207020	LS Loader Bucket, bolt-on edge	5000	3375	3200 (*3)	300x40	
207120	LS Loader Bucket, bolt-on edge	5000	3450	3700 (x3)	300x40	
207030	LS Loader Bucket, blunt edge/bolt-on edge	5000		3230	590x40	
207040	LS Loader Bucket, teeth*	5000	3300	3200	300x40	
207140	LS Loader Bucket, teeth*	5000	3350	3400	300x40	
207050	LS Loader Bucket, tooth/segment	5000	3375	3200 (*3)	300x40	
207150	LS Loader Bucket, tooth/segment	5000	3450	3700 (x3)	300x40	
207060	LS Loader Bucket, blunt edge/tooth/segment	5000		3230	590x40	
207210	LS Loader Bucket, cutting edges	5200	3275	3200	300x50	
207220	LS Loader Bucket, bolt-on edge	5200	3400	3200 (*3)	300x40	
207230	LS Loader Bucket, blunt edge/bolt-on edge	5200		3430	620x40	
207240	LS Loader Bucket, teeth*	5200	3375	3200	300x40	
207250	LS Loader Bucket, tooth/segment	5200	3400	3200 (*3)	300x40	
207260	LS Loader Bucket, blunt edge/tooth/segment	5200		3430	620x40	
207510	LS Loader Bucket, cutting edges	5500	3400	3200	300x50	
207520	LS Loader Bucket, bolt-on edge	5500	3550	3200 (*3)	300x40	
207530	LS Loader Bucket, blunt edge/bolt-on edge	5500		3430	620x40	
207540	LS Loader Bucket, teeth*	5500	3450	3200	300x40	
207550	LS Loader Bucket, tooth/segment	5500	3550	3200 (*3)	300x40	
207560	LS Loader Bucket, blunt edge/tooth/segment	5500		3430	620x40	
207610	LS Loader Bucket, cutting edges	5700	3500	3200	300x50	
207710	LS Loader Bucket, cutting edges	5700	3550	3400	300x50	
207620	LS Loader Bucket, bolt-on edge	5700	3650	3200 (*3)	300x40	
207720	LS Loader Bucket, bolt-on edge	5700	3700	3400 (*3)	300x40	

Item no.	Product name	Volume SAE	Weight, approx.(kg)	Width (mm)	Cutting edge	Recommended machine weight (tonnes)
207630	LS Loader Bucket, blunt edge/bolt-on edge	5700		3230	590x40	
207730	LS Loader Bucket, blunt edge/bolt-on edge	5700		3430	620x40	
207640	LS Loader Bucket, teeth*	5700	3550	3200	300x40	
207740	LS Loader Bucket, teeth*	5700	3600	3400	300x40	
207650	LS Loader Bucket, tooth/segment	5700	3650	3200 (*3)	300x40	
207750	LS Loader Bucket, tooth/segment	5700	3700	3400 (*3)	300x40	
207660	LS Loader Bucket, blunt edge/tooth/segment	5700		3230	590x40	
207760	LS Loader Bucket, blunt edge/tooth/segment	5700		3430	620x40	
20030	Direct mounting					
20031	Wedge coupler					
	By default, Combi Wear Parts tooth systems are fitted. Other tooth systems are offered.					
	*3 Bolt-on edge Volvo type 3					

Denna PDF är genererad från https://fronteq.se/en. Vi reserverar oss för felskrivningar och faktafel i texter och tabeller. Vi förbehåller oss även rätten att justera modellutbud och specifikationer utan föregående information. Bilder kan visa produkter i alternativt eller extrautrustat utförande. För mer information och aktuella priser, kontakta info@fronteq.se.