FRONTEQ



UFO Loader Bucket ED 6000-6900L

Ufo ED (Extreme Duty) loader bucket, 6000-6900 litres, for heavier tasks and unloading without spillage.

The ED loader buckets are strong and stably built. They are designed for heavier tasks, large loads, efficient loading and unloading without spillage. Very good filling rate.

The buckets are reinforced at the back and base. The bucket base is fitted with wear strips. The loader buckets are equipped as standard for quick coupling.

Can also be ordered for direct mounting or wedge mounting.

For wheel loaders between 8 and 60 tonnes.

Characteristics



- Strong and solidly built, engineered for heavier tasks and efficient loading.
- Very good filling rate.
- The buckets are reinforced at the back and bottom.
- Can be equipped with various blades and teeth.
- The bottom of the bucket is fitted with wear strips.
- At this size, it is often tailored to the customer's wishes.

Teeth*: Combi Wear Parts tooth systems are fitted as standard. Other tooth systems are offered.

Teknisk data

Item no.	Product name	Volume SAE	Weight, approx. (kg)	Width (mm)	Cutting edge	Recommended machine weight (tonnes)
207810	LS Loader Bucket, cutting edges	6000	3600	3200	300x50	
207910	LS Loader Bucket, cutting edges	6000	3650	3400	300x50	
208010	LS Loader Bucket, cutting edges	6000	3800	3700	300x60	
208110	LS Loader Bucket, cutting edges	6000	3725	3400	300x60	
207820	LS Loader Bucket, bolt-on edge	6000	3750	3200 (*3)	300x40	
207920	LS Loader Bucket, bolt-on edge	6000	3800	3400 (*3)	300x40	
208020	LS Loader Bucket, bolt-on edge	6000	3850	3700 (x3)	300x40	
207830	LS Loader Bucket, blunt edge/bolt-on edge	6000		3230	590x40	
207930	LS Loader Bucket, blunt edge/bolt-on edge	6000		3430	620x50	
208030	LS Loader Bucket, blunt edge/bolt-on edge	6000		3580	650x50	
207840	LS Loader Bucket, teeth*	6000	3600	3200	300x50	
207940	LS Loader Bucket, teeth*	6000	3625	3400	300x50	
208040	LS Loader Bucket, teeth*	6000	3650	3700	300x50	
207850	LS Loader Bucket, tooth/segment	6000	3750	3200 (*3)	300x40	
207950	LS Loader Bucket, tooth/segment	6000	3800	3400 (*3)	300x40	
208050	LS Loader Bucket, tooth/segment	6000	3850	3700 (x3)	300x40	
207860	LS Loader Bucket, blunt edge/tooth/segment	6000		3230	590x40	
207960	LS Loader Bucket, blunt edge/tooth/segment	6000		3430	620x50	
208060	LS Loader Bucket, blunt edge/tooth/segment	6000		3580	650x50	
208210	LS Loader Bucket, cutting edges	6500	3900	3400	300x60	
208220	LS Loader Bucket, bolt-on edge	6500	4100	3400 (*3)	300x40	
208520	LS Loader Bucket, bolt-on edge	6500	4225	3700 (x3)	300x40	
208230	LS Loader Bucket, blunt edge/bolt-on edge	6500		3430	620x50	
208530	LS Loader Bucket, blunt edge/bolt-on edge	6500		3580	650x50	
208240	LS Loader Bucket, teeth*	6500	3700	3400	300x50	

Item no.	Product name	Volume SAE	Weight, approx.(kg)	Width (mm)	Cutting edge	Recommended machine weight (tonnes)
208250	LS Loader Bucket, tooth/segment	6500	4100	3400 (*3)	300x40	
208550	LS Loader Bucket, tooth/segment	6500	4225	3700 (x3)	300x40	
208260	LS Loader Bucket, blunt edge/tooth/segment	6500		3430	620x50	
208560	LS Loader Bucket, blunt edge/tooth/segment	6500		3580	650x50	
208620	LS Loader Bucket, bolt-on edge	6700	4350	3400 (*3)	300x40	
208720	LS Loader Bucket, bolt-on edge	6700	4475	3700 (x3)	300x40	
208820	LS Loader Bucket, bolt-on edge	6700	4425	3580 (*3)	300x40	
208630	LS Loader Bucket, blunt edge/bolt-on edge	6700		3430	620x50	
208730	LS Loader Bucket, blunt edge/bolt-on edge	6700		3740	620x40	
208830	LS Loader Bucket, blunt edge/bolt-on edge	6700		3580	650x50	
208650	LS Loader Bucket, tooth/segment	6700	4350	3400 (*3)	300x40	
208750	LS Loader Bucket, tooth/segment	6700	4475	3700 (x3)	300x40	
208850	LS Loader Bucket, tooth/segment	6700	4425	3580 (*3)	300x40	
208660	LS Loader Bucket, blunt edge/tooth/segment	6700		3430	620x50	
208760	LS Loader Bucket, blunt edge/tooth/segment	6700		3740	620x40	
208860	LS Loader Bucket, blunt edge/tooth/segment	6700		3580	650x50	
208920	LS Loader Bucket, bolt-on edge	6900	4500	3580 (*3)	300x40	
208930	LS Loader Bucket, blunt edge/bolt-on edge	6900		3580	650x50	
208950	LS Loader Bucket, tooth/segment	6900	4500	3580 (*3)	300x40	
208960	LS Loader Bucket, blunt edge/tooth/segment	6900		3580	650x50	
20030	Direct mounting					
20031	Wedge coupler					
	By default, Combi Wear Parts tooth systems are fitted. Other tooth systems are offered.					
	*3 Bolt-on edge Volvo type 3					

Denna PDF är genererad från https://fronteq.se/en. Vi reserverar oss för felskrivningar och faktafel i texter och tabeller. Vi förbehåller oss även rätten att justera modellutbud och specifikationer utan föregående information. Bilder kan visa produkter i alternativt eller extrautrustat utförande. För mer information och aktuella priser, kontakta info@fronteq.se.