
FRONTEQ



UFO Loader bucket ED 7200-8500L

Ufo ED (Extreme Duty) loader bucket, 7200-8500 litres, for heavier tasks and unloading without spillage.

The ED loader buckets are strong and stably built. They are designed for heavier tasks, large loads, efficient loading and unloading without spillage. Very good filling rate.

The buckets are reinforced at the back and base. The bucket base is fitted with wear strips. The loader buckets are equipped as standard for quick coupling.

Can also be ordered for direct mounting or wedge mounting.

For wheel loaders between 8 and 60 tonnes.

Characteristics



- Strong and solidly built, engineered for heavier tasks and efficient loading.
- Very good filling rate.
- The buckets are reinforced at the back and bottom.
- Can be equipped with various blades and teeth.
- The bottom of the bucket is fitted with wear strips.

Teeth*: Combi Wear Parts tooth systems are fitted as standard. Other tooth systems are offered.

Teknisk data

Item no.	Product name	Volume SAE	Weight, approx. (kg)	Width (mm)	Cutting edge	Recommended machine weight (tonnes)
209120	LS Loader Bucket, bolt-on edge	7200	4625	3580 (*3)	300x40	
209130	LS Loader Bucket, blunt edge/bolt-on edge	7200		3580	650x50	
209150	LS Loader Bucket, tooth/segment	7200	4625	3580 (*3)	300x40	
209160	LS Loader Bucket, blunt edge/tooth/segment	7200		3580	650x50	
209220	LS Loader Bucket, bolt-on edge	7500	5025	3970 (*3)	370x65	
209230	LS Loader Bucket, blunt edge/bolt-on edge	7500		3970	790x65	
209250	LS Loader Bucket, tooth/segment	7500	5025	3970 (*3)	370x65	
209260	LS Loader Bucket, blunt edge/tooth/segment	7500		3970	790x65	
209320	LS Loader Bucket, bolt-on edge	7800	5225	3970 (*3)	370x65	
209330	LS Loader Bucket, blunt edge/bolt-on edge	7800		3970	790x65	
209350	LS Loader Bucket, tooth/segment	7800	5225	3970 (*3)	370x65	
209360	LS Loader Bucket, blunt edge/tooth/segment	7800		3970	790x65	
209420	LS Loader Bucket, bolt-on edge	8100	5425	3970 (*3)	370x65	
209430	LS Loader Bucket, blunt edge/bolt-on edge	8100		3970	790x65	
209450	LS Loader Bucket, tooth/segment	8100	5425	3970 (*3)	370x65	
209460	LS Loader Bucket, blunt edge/tooth/segment	8100		3970	790x65	
209520	LS Loader Bucket, bolt-on edge	8300	5625	3970 (*3)	370x65	
209530	LS Loader Bucket, blunt edge/bolt-on edge	8300		3970	790x65	
209550	LS Loader Bucket, tooth/segment	8300	5625	3970 (*3)	370x65	
209560	LS Loader Bucket, blunt edge/tooth/segment	8300		3970	790x65	
209620	LS Loader Bucket, bolt-on edge	8500	5825	3970 (*3)	370x65	
209630	LS Loader Bucket, blunt edge/bolt-on edge	8500		3970	790x65	

Item no.	Product name	Volume SAE	Weight, approx.(kg)	Width (mm)	Cutting edge	Recommended machine weight (tonnes)
209650	LS Loader Bucket, tooth/segment	8500	5825	3970 (*3)	370x65	
209660	LS Loader Bucket, blunt edge/tooth/segment	8500		3970	790x65	
20030	Direct mounting					
20031	Wedge coupler					
	By default, Combi Wear Parts tooth systems are fitted. Other tooth systems are offered.					
	*3 Bolt-on edge Volvo type 3					

Denna PDF är genererad från https://fronteq.se/en. Vi reserverar oss för felskrivningar och faktafel i texter och tabeller. Vi förbehåller oss även rätten att justera modellutbud och specifikationer utan föregående information. Bilder kan visa produkter i alternativt eller extrautrustat utförande. För mer information och aktuella priser, kontakta info@fronteq.se.