FRONTEQ



Siljum Multi Snow Plough M-line

The Siljum Multi Snow Plough M-line is our latest plough model with maneuverable side wings. M-line is built up in modules and has a robust and flexible construction.

The Siljum Multi Snow Plough M-line is a service-friendly and modular plough with many similarities to its bigger brother, the Multi Snow Plough X-line.

The plough is available in three different working widths: 4050 mm, 4500 mm,
and 5100 mm. It also works excellently on smaller machines.

The M-Line is a flexible plough and can be ordered with cupped or spring loaded wings, 2-hose or 4-hose. Supplied as standard with plain cutting edges and BM mount.

Suitable for wheel loaders with a machine weight of 7 to 18 tonnes.

K = Cupped wing
X = Spring-loaded wing, type Multi Snow Bucket.

Characteristics

- The Siljum's M-line plough series is built up in modules. It is of the highest quality and has leading qualities just like our other multi snow ploughs.
- Siljum Multi Snow Plough M-Line is a flexible and highly functional snow removal tool with great reliability.
- The hydraulically controlled wings can be angled 165 degrees.
- The approach angle on the road is 15 degrees.
- The middle section can be angled 31 degrees to the left and 34 degrees to the right.
- Can be delivered with 2 or 4 hoses.
- A safety system with shock valves allows the blades to spring away when hitting an obstacle.
- Features reversible and easily interchangeable cutting edges.



Teknisk data

Art. No.	Product name	Working width (mm)	Wing width (mm)	Height (mm)	Weight, approx. (kg)	Recommended machine weight (tonnes)
23214012K-0311	M-Line 2140, 2-hose	4050	910	1090	1700	7-12
23214013K-0311	M-Line 2140, 4-hose	4050	910	1090	1700	7-12
23214012X-0311	M-Line 2140X, 2-way	4050	910	1090	1700	7-12
23214013X-0311	M-Line 2140X, 4-hose	4050	910	1090	1700	7-12
23214612K-0311	M-Line 2146, 2-hose	4500	1220	1090	2100	7-12
23214613K-0311	M-Line 2146, 4-hose	4500	1220	1090	2100	7-12
23214612X-0311	M-Line 2146X, 2-hose	4500	1220	1090	2100	7-12
23214613X-0311	M-Line 2146X, 4-hose	4500	1220	1090	2100	7-12
23254612K-0311	M-Line 2546, 2-hose	4500	910	1090	2100	7-12
23254613K-0311	M-Line 2546, 4-hose	4500	910	1090	2100	7-12
23254612X-0311	M-Line 2546X, 2-hose	4500	910	1090	2100	7-12
23254613X-0311	M-Line 2546X, 4-hose	4500	910	1090	2100	7-12
23255012K-0311	M-Line 2550, 2-hose	5100	1220	1090	2400	9-18
23255013K-0311	M-Line 2550, 4-hose	5100	1220	1090	2400	9-18
23255012X-0311	M-Line 2550X, 2-hose	5100	1220	1090	2400	9-18
23255013X-0311	M-Line 2550X, 4-hose	5100	1220	1090	2400	9-18
Note:	Attachment standard BM. Cutting edges.					
	K=Cupped wings X=Spring-loaded wing, type Multi Snow Bucket					

Denna PDF är genererad från https://fronteq.se/en. Vi reserverar oss för felskrivningar och faktafel i texter och tabeller. Vi förbehåller oss även rätten att justera modellutbud och specifikationer utan föregående information. Bilder kan visa produkter i alternativt eller extrautrustat utförande. För mer information och aktuella priser, kontakta info@fronteq.se.