FRONTEQ



Siljum Multiskopa 1.0-2.1 D-Edition

Our Multi Snow Bucket 1.0-2.1 for wheel loaders are popular among drivers and contractors thanks to the buckets versatility with adjustable wings. The Multi Snow Bucket makes snow removal efficient and precise.

The Siljum Multi Snow Bucket 1.0-2.1 is the perfect multi-bucket for slightly smaller machines. The multi-bucket is available with different attachment options and different wing widths. The standard wings are 850 mm wide, but the bucket can also be ordered with the larger wings of 1060 mm.

The agile design makes the multi-bucket perfect for smaller roads and car parks as well as for the farm tractor on the farm.

Siljum Multiskopa 1.0-2.1 D-Edition passar för hjullastare och traktorer från 4 till 9 ton.

Characteristics



- Side-mounted wings, 850-1060 mm wide.
- Load capacity 1.0 – 2.1 m³.
- Equipped with a shock valve, pressure accumulator tank and electric valve.
- The spring-loaded side wings are controlled hydraulically and individually from the drivers cab.
- Spring-loaded wings that can be angled approximately +/- 15 degrees.
- The buckets are equipped as standard with flat bolt-on edges on the bucket and P300 ice ripper cutting edges on the wings.

Options

- BM (L50) hooks.
- Wings with a width of 1060 mm.

Teknisk data

Art. No.	Product name	Volume (m3)	Width min/max (mm)	Height (mm)	Wing (mm)	Weight, approx. with wing 850 (kg)	Weight, approx. with wing 1060 (kg)	Recommended machine weight (tonnes)
22101208D	MS, with electric valve	1,0	1780 / 3245	900	850	505		4-5
22141208D	MS, with electric valve	1,4	2100 / 3475	1000	850	730		5-9
22171208D	MS, with electric valve	1,7	2400 / 3775	1000	850	765		6-9
22171210D	MS, with electric valve	1,7	2400 / 4385	1000	1060		815	6-9
22191208D	MS, with electric valve	1,9	2740 / 4115	1000	850	800		6-9
22191210D	MS, with electric valve	1,9	2740 / 4725	1000	1060		850	6-9
22211208D	MS, with electric valve	2,1	2890 / 4265	1000	850	830		6-9
22211210D	MS, with electric valve	2,1	2890 / 4875	1000	1060		880	6-9
22101308D	MS, 4-hose	1,0	1780 / 3245	900	850	505		4-5
22141308D	MS, 4-hose	1,4	2100 / 3475	1000	850	730		5-9
22171308D	MS, 4-hose	1,7	2400 / 3775	1000	850	765		6-9
22171310D	MS, 4-hose	1,7	2400 / 4385	1000	1060		815	6-9
22191308D	MS, 4-hose	1,9	2740 / 4115	1000	850	800		6-9
22191310D	MS, 4-hose	1,9	2740 / 4725	1000	1060		850	6-9
22211308D	MS, 4-hose	2,1	2890 / 4265	1000	850	830		6-9
22211310D	MS, 4-hose	2,1	2890 / 4875	1000	1060		880	6-9
Attachment for BM (L50) hooks								
Addition for 1060 mm wide wings								

Denna PDF är genererad från https://fronteq.se/en. Vi reserverar oss för felskrivningar och faktafel i texter och tabeller. Vi förbehåller oss även rätten att justera modellutbud och specifikationer utan föregående information. Bilder kan visa produkter i alternativt eller extrautrustat utförande. För mer information och aktuella priser, kontakta info@fronteq.se.