
FRONTEQ



Ufo Pallet Fork Hydraulic

Hydrauliskt ställbar lyftgaffel i robust utförande från Ufo. Hydraulisk justering gör det enkelt att anpassa
gaffelarmarna för olika lyftbehov.


Quick and safe lifting every time.
The Ufo forklifts are solid tools with a load capacity from 5.7 tonnes upwards depending on the model. The frame construction provides good visibility, making loading and unloading operations easier and safer to handle.

Hydraulic cylinders and hoses are housed in the upper frame member where they are well protected. Integrated throttles in the valve prevent lateral movement.

Also available in a version for container handling with extra-wide fork spread.

Characteristics

- Hydraulically adjustable fork legs.
- Lifting capacity 5.7-12.0 tonnes, in HD version 18 tonnes.
- Protected hoses and hydraulic cylinders in the upper frame member.
- Very good visibility for the machine operator.
- Fitted with a wide fork spread for containers.
- Supplied as standard with 2 hoses.
- Sideshift is available as an option (2-hose, 4-hose)



Teknisk data

Item no.	Frame width (mm)	Forks (mm)	Capacity/pair (tonnes)	Weight, approx. (kg)	Recommended machine weight (tonnes)
720571612	1600	125 x 50 x 1200	5,7	498	
720571615	1600	125 x 50 x 1500	5,7	528	
720691612	1600	150 x 50 x 1200	6,9	535	
720691614	1600	150 x 50 x 1400	6,9	560	
720691616	1600	150 x 50 x 1600	6,9	582	
720991612	1600	150 x 60 x 1200	9,9	578	
720991614	1600	150 x 60 x 1450	9,9	614	
720991616	1600	150 x 60 x 1600	9,9	635	
720572012	2000	125 x 50 x 1200	5,7	567	
720572015	2000	125 x 50 x 1500	5,7	597	
720692012	2000	150 x 50 x 1200	6,9	604	
720692014	2000	150 x 50 x 1400	6,9	629	
720692016	2000	150 x 50 x 1600	6,9	651	
720992012	2000	150 x 60 x 1200	9,9	647	
720992014	2000	150 x 60 x 1450	9,9	682	
720992016	2000	150 x 60 x 1600	9,9	704	
720992016C	2000 For container	150 x 60 x 1600	9,9	701	
720992020	2000	150 x 60 x 2000	9,9	766	
721202016C	2000 For container	150 x 70 x 1600	12,0		
721202020C	2000 For container	150 x 70 x 2000	12,0		

Denna PDF är genererad från https://fronteq.se/en. Vi reserverar oss för felskrivningar och faktafel i texter och tabeller. Vi förbehåller oss även rätten att justera modellutbud och specifikationer utan föregående information. Bilder kan visa produkter i alternativt eller extrautrustat utförande. För mer information och aktuella priser, kontakta info@fronteq.se.